

SD40-3 Locomotives Available for Immediate Sale and Placement into Service.



Rail Engineering Solutions, LLC
P.O. Box 1633 Simpsonville, SC 29681
Web: www.locomotives-for-sale.com

Creating Value for customers worldwide.

“Reward” to receive benefit from the value delivered



SD40-3 Overhauled Locomotives Ready for Service. No waiting for customers paint scheme to be completed. See details.

These locomotives have been completely overhauled per attached work scope and are ready for the customers paint colors to be applied. 2 units left. Call today for details.



Picture of actual unit





Rail Engineering Solutions, LLC
P.O. Box 1633 Simpsonville, SC 29681
Web: www.locomotives-for-sale.com

Technical Specification Sheet

Co/Co Class MPRX-Numbers



Rail Engineering Solutions, LLC
P.O. Box 1633- Simpsonville, SC 29681
Web: www.locomotives-for-sale.com



Note: Dynamic outline above is for conversation purposes only.

OPERATING FEATURES		Locomotive Type		Engine		Rotational		Equipment	
Max Speed:	65 MPH	Manufacturer:	EMD	OEM:	EMD	Aux. Gen	18kw	Cab:	74 Vdc Lighting
Gear Ratio:	62/15	Model:	SD40-3	Model:	16-645E3B	Motors:	D78	Ground:	74 Vdc Lighting
Weight:	165 Mt	Horsepower:	3000	Cylinder:	16	Cooling Fans:	Electric	Ditch Lights:	Equipped
Weight Per Axle:	27.5 Mt	Bogie Configuration:	Co/Co	KW:	2237 kw	Cooling T/M:	Mechanical	Headlights:	Duel Front and Rear
ELECTRICAL		Coupler		Air System		Alternator Type		Strobe:	
Switchgear:	Electrical	Type:	New AAR Type "F"	Brakes:	Fast Brake/ECP	Model:	AR10	Gauge:	Incandescent
Control System:	74Vdc	Draft Gear	New	Compressor:	WBO	Ratings:	2237 kw	Hood:	Incandescent
CAPACITIES		Trucks:		Demensions		Specialized Equipment		Alerter:	
Eng. Cooling Water:	961 Liters/ 253 Gl	Wheel Diameter:	40 in (New)	A	15 ft 4in	PTC:	N/E	Bell:	Pneumatic
Lubrication Oil:	919 Liters/ 242 Gl	Bogie Type:	3 Axle	B	10 ft 4.5 in	Remote:	N/E	Horn:	Pneumatic
Sand Storage:	1.585743 m³	Type:	6.5 x 12	C	68 ft 10 In	Event Rec:	Equipped	Hand Brake:	Mechanical
Fuel Oil:	11000 Liters/ 3000 gl	Bearings:	GG	D	40 ft	Hot Start::	N/E	Cab A/C:	Equipped
See note 4 below for details on fuel capacity		Track Gauge:	56.5 in	E	56.5 in	Auto start/Stop:	N/E	Cab Heat:	Electric
		Axles:	6	F	N/A	ECP:	Equipped	Refridgerator:	N/E
						Hot Plate:	N/E	Wiper:	Electric
						Camera:	N/E	Vigilance:	Equipped
						Ext. Range DB:	Equipped	HMI:	Dash -3 Interface
						Dyn Brakes:	Equipped	Speed Ind.:	Equipped
Customer and Project Data						MU:	Equipped	Op-Station:	Dual
Customer:	International Customer	Owner:		MP&ES Reference #:		Microprocessor:	Dash-3	Radio Power:	Standard 12vdc/15Amp
Purchase Order Number:		Project Reference Name:		TSS Reviewed:	WDE				

All equipment and options noted above in the specification sheet for this type of locomotive are standard and or optional equipment as the outlined unit is built. Optional equipment is available and can change based upon a customers site specific needs. If you do not see an option of choice please let us know.

- 2 units available.
- All locomotives are completely overhauled and are staged for an immediate purchase.
- Engines Completely remanufacture with new power assemblies and turbos.
- Fuel tank capacity is limited to 1500 gl. However the fuel tanks are 3000gl tanks. The current gross weight of the locomotive is in line with 1500 gl. 3000gl adds 11000 lbs
- Units are currently primed awaiting customers preferred paint scheme.
- Locomotives will be sold with a 2 year warranty.

Spec. Sheet

Information available on Web Site

- Unit Specifications
- Work Scope Performed on units
- Detailed Pictures of worked performed
 - a. In process
 - b. Electrical
 - c. Mechanical
 - d. Completed
- 3rd Party Inspection Report
- Load Test Reports





Rail Engineering Solutions, LLC
P.O. Box 1633 Simpsonville, SC 29681
Web: www.locomotives-for-sale.com

CALL OUR TEAM TODAY

David Wilkerson

david@railengineeringsolutions.com

USA 864-918-3058

Robert Coleman

Robert@railengineeringsolutions.com

UK Tel 44 (0) 7538 382 401

Offices located in Africa, UK, Malaysia, USA

www.locomotives-for-sale.com